
1565 MacArthur Blvd.
Cost Mesa, CA 92626
714.431.4100
Fax 714.825.0685



September 3, 2004

Mr. Roger Baker
City Planner
CITY OF BURBANK
275 East Olive Avenue
Burbank, California 91502

Clayton Project No. 80-98191.01

Subject: Status Report of Vapor Extraction System Operation - Lockheed-Martin
B-1 Site – December 10, 2003 through August 18, 2004

Dear Mr. Baker:

Clayton Group Services, Inc. (Clayton) has prepared the following status report for the Vapor Extraction System (VES) operation at Lockheed-Martin B-1 Site for the period between December 10, 2003 and August 18, 2004. It includes the following items:

- Background
- Clayton Field Activities
- Results of Laboratory Analysis
- Health Risk Assessment Calculations
- Conclusions

BACKGROUND

Alton Geoscience conducted a "Phase I" and "Phase II" of VES effluent sampling and health risk assessment for the Lockheed-Martin B-1 facility. Phase I consisted of twelve weekly health risk reports based on samples collected between September 2, 1997 and February 9, 1998. Phase II included twelve bi-weekly health risk assessments based on samples collected between February 16, 1998 and September 9, 1998. Phase III consisted of monthly sampling between October and December 1998.

Mr. Roger Baker
CITY OF BURBANK
September 3, 2004

Page 2 of 5
Clayton Project No. 80-98191.01

Phase IV of the VES effluent sampling consists of VES effluent sample acquisition, laboratory analyses, and health risk assessments to be performed once per quarter for the remainder of the project. The first and second quarterly health risk assessments were provided by Alton in reports dated January 18, 1999 and May 24, 1999, respectively.

Clayton subsequently has conducted quarterly sampling of the units and has routinely reported the results. These reports were issued as follows:

- November 23, 1999, which addressed the temporary shutdown of the system on October 14, 1999 for rebound testing;
- March 13, 2000, for the period following restart of the system;
- May 16, 2000 for the period through March 2000;
- March, July 12, 2000 for the period through June 2000;
- November 17, 2000, for the period through September 2000;
- February 22, 2001, for the period through January 2001;
- May 31, 2001, for the period through April 2001;
- August 21, 2001, for the period through August 5, 2001;
- November 12, 2001 for the period through October 19, 2001;
- March 29, 2002 for the period through January 28, 2002;
- June 6, 2002 for the period through April 29, 2002;
- August 23, 2002 for the period through July 26, 2002; and,
- January 8, 2003 for the period through October 30, 2003.
- March 4, 2003 for the period through February 3, 2004
- January 7, 2004 for the period through December 9 2003 (2 reports issued)

As a result of the rebound test that began on September 4, 2002 (initial shutdown) through the month of December, the VES was restarted on January 29, 2003. Based on

Mr. Roger Baker
CITY OF BURBANK
September 3, 2004

Page 3 of 5
Clayton Project No. 80-98191.01

rebound test results, Earth Tech personnel concluded that additional vapor extraction is necessary. Duration of run time is pending future sampling results.

CLAYTON FIELD ACTIVITIES

On August 18, 2004 personnel from Clayton met with Earth Tech personnel to conduct sampling of air emissions at the Lockheed-Martin B-1 Site VES. Clayton and Earth Tech personnel each collected an exhaust sample using an evacuated Summa canister, connected via a disposable Teflon® tube to the VES unit's sampling port.

During the sampling period, the exhaust flow rate was 748 scfm. The two stack analyzers monitoring volatile organic compound (VOC) concentration showed good correlation with readings of 2.28 and 2.41ppm.. The VOC emission rate readings were within acceptable operating conditions for the VES. The 15-minute average VOC emission rate indicated at the time was 1.0752 lbs/day, while the 24-hour average value was 1.0249 lbs/day. These values were below the calculated value of 1.876 lb/day, based on the analytical data.

The sample collected by Clayton was delivered to Air Toxics Ltd. in Folsom, California under chain of custody control for analysis by gas-chromatograph/mass spectrometry (GS/MS) in accordance with EPA Method TO-15.

RESULTS OF LABORATORY ANALYSES

The results from the TO-15 analysis of the sample taken on August 18, 2004 indicated that five (5) compounds were present in concentrations above detection limits. Following are a list of these compounds and the concentrations indicated by the analysis:

Compound	Concentration (ppmv)¹
1,1-Dichloroethene (DCE)	0.013
Freon 113 (1,1,2-Trichloro- 1,2,2-trifluoro- ethane)	0.026
1,1,1- Trichloroethane	0.015
Trichloroethene (TCE)	2.400
Tetrachloroethene (Perchloroethylene or PCE))	2.100

1 ppmv = parts per million by volume

Mr. Roger Baker
CITY OF BURBANK
September 3, 2004

Page 4 of 5
Clayton Project No. 80-98191.01

These results reflect a slight increase in the total VOC concentration but with a decrease in the number of constituents detected. Overall the total VOC concentration range remains at low levels relative to the historical trend.

Using the analytical data, an overall VOC emission rate of 1.876 lb/day was calculated. This figure is somewhat larger than the 24-hour average VOC reading provided by the organic vapor monitoring system. However, the calculated VOC emission levels are well below the Conditional Use Permit (CUP) limit of 9.8 pounds per day. These results, along with the previous calculated total VOC emissions for the unit, were plotted on Figure 1. Vinyl chloride was not detected in the sample taken. Therefore, its CUP limit of 0.14 pounds per day was not exceeded.

HEALTH RISK ASSESSMENT CALCULATIONS

In accordance with the CUP, the stack concentrations of each constituent and the exhaust flow rates were used to calculate the excess cancer risk resulting from operation of the VES. The first risk calculation was to determine the risk if the unit was operated for a lifetime period of 70 years, evaluating the risk to both workers and local residents for those chemicals specified in SCAQMD Rule 1401, as adopted at the time the unit was permitted. The second risk calculation was to determine the risk to both workers and local residents for the life of the project (the 8.5 year operating period), for all detected chemicals for which carcinogenic risk factors are available.

The resulting cancer risk calculations for both conditions indicated an acceptable Maximum Individual Cancer Risk (MICR) significantly less than one in one million. The results from these calculations, along with the MICR results from previous calculations for the unit, are presented on Figures 2 and 3, for 70 year and 8.5 year calculations respectively.

CONCLUSIONS

Based on the results of the information gathered and samples taken on February 3, 2003, the following conclusions can be made:

- The current result of 1.876 lbs/day is evidence that a rebound has occurred. Although the overall VOC emission rate has not been this comparable since August of 2001, it remains well below the CUP limit 9.8 pounds per day. Evidently, the residual contaminants remaining in the subsurface are higher than previously expected resulting in additional VES operation.

Mr. Roger Baker
CITY OF BURBANK
September 3, 2004

Page 5 of 5
Clayton Project No. 80-98191.01

- Since vinyl chloride was not detected, its CUP limit of 0.14 pounds per day was not exceeded. Excess cancer risks (MICR) were less than one in one million for workers and local residents, using both 70-year lifetime and 8.5-year operating period risk calculations.

If you have any questions or require additional information regarding this status report, please contact me at (714) 431-4157.

Sincerely,

A handwritten signature in dark ink that reads 'Martin L. McClintock'.

Martin L. McClintock, P.E. No. 5025
Project Engineer
Environmental Services

Attachments: Figure 1 - Daily VOC Emissions
Figure 2 - Human Health Risk (70 Year Lifetime)
Figure 3 - Human Health Risk (8.5 Year Operating Period)
Laboratory Report

cc: Ms. Stacey Ebner, South Coast Air Quality Management District
George Illes, South Coast Air Quality Management District

FIGURE 1 - DAILY VOC EMISSIONS
LOCKHEED B-1 VES
Independent Monitoring Data




FIGURE 1

FIGURE 2 - HUMAN HEALTH RISK
LOCKHEED B-1 VES
SCAQMD RULE 1401 CHEMICALS
HYPOTHETICAL 70 YEAR LIFETIME




FIGURE 2

**FIGURE 3 - HUMAN HEALTH RISK
LOCKHEED B-1 VES
DURING 8.5 YEAR OPERATING PERIOD**




FIGURE 3



STL

STL Los Angeles

1721 South Grand Avenue
Santa Ana, CA 92705

Tel: 714 258 8610 Fax: 714 258 0921
www.stl-inc.com

August 26, 2004

STL LOT NUMBER: E4H200296

Gustavo Valdivia
Clayton Group Services Inc
1565 MacArthur Blvd
Costa Mesa, CA 92704

Dear Mr. Valdivia,

This report contains the analytical results for the sample received under chain of custody by STL Los Angeles on August 18, 2004. This sample is associated with your City of Burbank project.

STL Los Angeles certifies that the test results provided in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in the case narrative. The case narrative is an integral part of the report. NELAP Certification Number for STL Los Angeles is E87652.

Any matrix related anomaly is footnoted within the report. Historical control limits for the LCS are used to define the estimate of uncertainty for a method. All applicable quality control procedures met method-specified acceptance criteria.

Preliminary results were sent via facsimile on August 26, 2004.


This report shall not be reproduced except in full, without the written approval of the laboratory.

This report contains **000016** _____ pages.



If you have any questions, please feel free to call me at (714) 258-8610.

Sincerely,



Marisol Tabirara
Project Manager

cc: Project File

CHAIN OF CUSTODY RECORD

1565 Mac Arthur Blvd.
Costa Mesa, CA 92626
Tel (714) 431-4100
Fax (714) 825-0685



page 1 of 1

[illegible]

CANISTER FIELD DATA RECORD

CLIENT: CLAYTON Group Services
CANISTER SERIAL #: 93253
DATE CLEANED: 8-6-04B
CLIENT SAMPLE #: _____
SITE LOCATION: _____

VFR ID: _____
Duration of comp. : _____ hrs. / mins.
Flow setting: _____ ml/min
Initials: _____

READING	TIME	Vac. (inches Hg) Or PRESS. (psig)	DATE	INITIALS
INITIAL VACUUM CHECK		30"	8-16-04	RB
INITIAL FIELD VACUUM				
FINAL FIELD READING				

LABORATORY CANISTER PRESSURIZATION

INITIAL VACUUM (PSIA)	7.80	8-23-04	TD
FINAL PRESSURE (PSIA)	20.45	8-23-04	TD

Pressurization Gas: _____

COMMENTS:	COMPOSITE TIME (HOURS)	FLOW RATE RANGE (ml/min)
	15 Min.	316 – 333
	30 Min.	158 – 166.7
	1	79.2 – 83.3
	2	39.6 – 41.7
	4	19.8 – 20.8
	6	13.2 – 13.9
	8	9.9 – 10.4
	10	7.92 – 8.3
	12	6.6 – 6.9
	24	3.5 – 4.0



STL

Analytical Report

ANALYTICAL REPORT

PROJECT NO. 8098191.00

City of Burbank

Lot #: E4H200296

Gustavo Valdivia

Clayton Group Services Inc

SEVERN TRENT LABORATORIES, INC.

Marisol Tabirara
Project Manager

August 26, 2004

EXECUTIVE SUMMARY - Detection Highlights

E4H200296

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING LIMIT</u>	<u>UNITS</u>	<u>ANALYTICAL METHOD</u>
B-1-VES-81704 08/18/04 10:20 001				
1,1-Dichloroethene	13	13	ppb (v/v)	EPA-21 TO-14A
1,1,2-Trichloro- 1,2,2-trifluoroethane	26	13	ppb (v/v)	EPA-21 TO-14A
1,1,1-Trichloroethane	15	13	ppb (v/v)	EPA-21 TO-14A
Trichloroethene	2400	13	ppb (v/v)	EPA-21 TO-14A
Tetrachloroethene	2100	13	ppb (v/v)	EPA-21 TO-14A

ANALYTICAL METHODS SUMMARY

E4H200296

<u>PARAMETER</u>	<u>ANALYTICAL METHOD</u>
Volatile Organics by TO-14A	EPA-21 TO-14A

References:

EPA-21 "Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air", Second Edition, EPA/625/R-96/010b, January 1999

SAMPLE SUMMARY

E4H200296

WO #	SAMPLE#	CLIENT	SAMPLE ID	SAMPLED DATE	SAMP TIME
GNNLE	001	B-1-VES-81704		08/18/04	10:20

NOTE (S) :

- The analytical results of the samples listed above are presented on the following pages.
- All calculations are performed before rounding to avoid round-off errors in calculated results.
- Results noted as "ND" were not detected at or above the stated limit.
- This report must not be reproduced, except in full, without the written approval of the laboratory.
- Results for the following parameters are never reported on a dry weight basis: color, corrosivity, density, flashpoint, ignitability, layers, odor, paint filter test, pH, porosity pressure, reactivity, redox potential, specific gravity, spot tests, solids, solubility, temperature, viscosity, and weight.

Client Sample ID: B-1-VES-81704

Lot-Sample #....: E4H200296-001	Work Order #....: GNLLE1AC	Matrix.....: AIR
Date Sampled....: 08/18/04 10:20	Date Received...: 08/18/04	
Prep Date.....: 08/23/04	Analysis Date...: 08/23/04	
Prep Batch #....: 4238471	Analysis Time...: 15:44	
Dilution Factor: 6.53		
Analyst ID.....: 101605	Instrument ID...: MSB	
	Method.....: EPA-21 TO-14A	

PARAMETER	RESULT	REPORTING LIMIT	UNITS
Dichlorodifluoromethane	ND	13	ppb (v/v)
Chloromethane	ND	26	ppb (v/v)
1,2-Dichloro- 1,1,2,2-tetrafluoroethane	ND	13	ppb (v/v)
Vinyl chloride	ND	13	ppb (v/v)
Bromomethane	ND	13	ppb (v/v)
Chloroethane	ND	26	ppb (v/v)
Trichlorofluoromethane	ND	13	ppb (v/v)
1,1-Dichloroethene	13	13	ppb (v/v)
Carbon disulfide	ND	65	ppb (v/v)
1,1,2-Trichloro- 1,2,2-trifluoroethane	26	13	ppb (v/v)
Acetone	ND	65	ppb (v/v)
Methylene chloride	ND	13	ppb (v/v)
trans-1,2-Dichloroethene	ND	13	ppb (v/v)
1,1-Dichloroethane	ND	13	ppb (v/v)
Vinyl acetate	ND	65	ppb (v/v)
cis-1,2-Dichloroethene	ND	13	ppb (v/v)
2-Butanone (MEK)	ND	65	ppb (v/v)
Chloroform	ND	13	ppb (v/v)
1,1,1-Trichloroethane	15	13	ppb (v/v)
Carbon tetrachloride	ND	13	ppb (v/v)
Benzene	ND	13	ppb (v/v)
1,2-Dichloroethane	ND	13	ppb (v/v)
Trichloroethene	2400	13	ppb (v/v)
1,2-Dichloropropane	ND	13	ppb (v/v)
Bromodichloromethane	ND	13	ppb (v/v)
cis-1,3-Dichloropropene	ND	13	ppb (v/v)
4-Methyl-2-pentanone (MIBK)	ND	65	ppb (v/v)
Toluene	ND	13	ppb (v/v)
trans-1,3-Dichloropropene	ND	13	ppb (v/v)
1,1,2-Trichloroethane	ND	13	ppb (v/v)
Tetrachloroethene	2100	13	ppb (v/v)
2-Hexanone	ND	65	ppb (v/v)
Dibromochloromethane	ND	13	ppb (v/v)
1,2-Dibromoethane (EDB)	ND	13	ppb (v/v)

(Continued on next page)

CLAYTON GROUP SERVICES INC

Client Sample ID: B-1-VES-81704

GC/MS Volatiles

Lot-Sample #...: E4H200296-001 Work Order #...: GNLLE1AC Matrix.....: AIR

PARAMETER	RESULT	REPORTING LIMIT	UNITS
Chlorobenzene	ND	13	ppb (v/v)
Ethylbenzene	ND	13	ppb (v/v)
Xylenes (total)	ND	13	ppb (v/v)
Styrene	ND	13	ppb (v/v)
Bromoform	ND	13	ppb (v/v)
1,1,2,2-Tetrachloroethane	ND	13	ppb (v/v)
Benzyl chloride	ND	65	ppb (v/v)
4-Ethyltoluene	ND	13	ppb (v/v)
1,3,5-Trimethylbenzene	ND	13	ppb (v/v)
1,2,4-Trimethylbenzene	ND	13	ppb (v/v)
1,3-Dichlorobenzene	ND	13	ppb (v/v)
1,4-Dichlorobenzene	ND	13	ppb (v/v)
1,2-Dichlorobenzene	ND	13	ppb (v/v)
1,2,4-Trichloro- benzene	ND	33	ppb (v/v)
Hexachlorobutadiene	ND	26	ppb (v/v)

QA/QC

QC DATA ASSOCIATION SUMMARY

E4H200296

Sample Preparation and Analysis Control Numbers

<u>SAMPLE#</u>	<u>MATRIX</u>	<u>ANALYTICAL METHOD</u>	<u>LEACH BATCH #</u>	<u>PREP BATCH #</u>	<u>MS RUN#</u>
001	AIR	EPA-21 TO-14A		4238471	

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #...: E4H200296
MB Lot-Sample #: M4H250000-471

Work Order #...: GNXEV1AA

Matrix.....: AIR

Analysis Date...: 08/23/04
Dilution Factor: 1

Prep Date.....: 08/23/04
Prep Batch #...: 4238471

Analysis Time...: 08:32
Instrument ID...: MSB

Analyst ID.....: 117751

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
Dichlorodifluoromethane	ND	2.0	ppb (v/v)	EPA-21 TO-14A
Chloromethane	ND	4.0	ppb (v/v)	EPA-21 TO-14A
1,2-Dichloro- 1,1,2,2-tetrafluoroethane	ND	2.0	ppb (v/v)	EPA-21 TO-14A
Vinyl chloride	ND	2.0	ppb (v/v)	EPA-21 TO-14A
Bromomethane	ND	2.0	ppb (v/v)	EPA-21 TO-14A
Chloroethane	ND	4.0	ppb (v/v)	EPA-21 TO-14A
Trichlorofluoromethane	ND	2.0	ppb (v/v)	EPA-21 TO-14A
1,1-Dichloroethene	ND	2.0	ppb (v/v)	EPA-21 TO-14A
Carbon disulfide	ND	10	ppb (v/v)	EPA-21 TO-14A
1,1,2-Trichloro- 1,2,2-trifluoroethane	ND	2.0	ppb (v/v)	EPA-21 TO-14A
Acetone	ND	10	ppb (v/v)	EPA-21 TO-14A
Methylene chloride	ND	2.0	ppb (v/v)	EPA-21 TO-14A
trans-1,2-Dichloroethene	ND	2.0	ppb (v/v)	EPA-21 TO-14A
1,1-Dichloroethane	ND	2.0	ppb (v/v)	EPA-21 TO-14A
Vinyl acetate	ND	10	ppb (v/v)	EPA-21 TO-14A
cis-1,2-Dichloroethene	ND	2.0	ppb (v/v)	EPA-21 TO-14A
2-Butanone (MEK)	ND	10	ppb (v/v)	EPA-21 TO-14A
Chloroform	ND	2.0	ppb (v/v)	EPA-21 TO-14A
1,1,1-Trichloroethane	ND	2.0	ppb (v/v)	EPA-21 TO-14A
Carbon tetrachloride	ND	2.0	ppb (v/v)	EPA-21 TO-14A
Benzene	ND	2.0	ppb (v/v)	EPA-21 TO-14A
1,2-Dichloroethane	ND	2.0	ppb (v/v)	EPA-21 TO-14A
Trichloroethene	ND	2.0	ppb (v/v)	EPA-21 TO-14A
1,2-Dichloropropane	ND	2.0	ppb (v/v)	EPA-21 TO-14A
Bromodichloromethane	ND	2.0	ppb (v/v)	EPA-21 TO-14A
cis-1,3-Dichloropropene	ND	2.0	ppb (v/v)	EPA-21 TO-14A
4-Methyl-2-pentanone (MIBK)	ND	10	ppb (v/v)	EPA-21 TO-14A
Toluene	ND	2.0	ppb (v/v)	EPA-21 TO-14A
trans-1,3-Dichloropropene	ND	2.0	ppb (v/v)	EPA-21 TO-14A
1,1,2-Trichloroethane	ND	2.0	ppb (v/v)	EPA-21 TO-14A
Tetrachloroethene	ND	2.0	ppb (v/v)	EPA-21 TO-14A
2-Hexanone	ND	10	ppb (v/v)	EPA-21 TO-14A
Dibromochloromethane	ND	2.0	ppb (v/v)	EPA-21 TO-14A
1,2-Dibromoethane (EDB)	ND	2.0	ppb (v/v)	EPA-21 TO-14A
Chlorobenzene	ND	2.0	ppb (v/v)	EPA-21 TO-14A
Ethylbenzene	ND	2.0	ppb (v/v)	EPA-21 TO-14A
Xylenes (total)	ND	2.0	ppb (v/v)	EPA-21 TO-14A

(Continued on next page)

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #...: E4H200296

Work Order #...: GNXEVI1AA

Matrix.....: AIR

PARAMETER	RESULT	REPORTING		METHOD
		LIMIT	UNITS	
Styrene	ND	2.0	ppb (v/v)	EPA-21 TO-14A
Bromoform	ND	2.0	ppb (v/v)	EPA-21 TO-14A
1,1,2,2-Tetrachloroethane	ND	2.0	ppb (v/v)	EPA-21 TO-14A
Benzyl chloride	ND	10	ppb (v/v)	EPA-21 TO-14A
4-Ethyltoluene	ND	2.0	ppb (v/v)	EPA-21 TO-14A
1,3,5-Trimethylbenzene	ND	2.0	ppb (v/v)	EPA-21 TO-14A
1,2,4-Trimethylbenzene	ND	2.0	ppb (v/v)	EPA-21 TO-14A
1,3-Dichlorobenzene	ND	2.0	ppb (v/v)	EPA-21 TO-14A
1,4-Dichlorobenzene	ND	2.0	ppb (v/v)	EPA-21 TO-14A
1,2-Dichlorobenzene	ND	2.0	ppb (v/v)	EPA-21 TO-14A
1,2,4-Trichloro- benzene	ND	5.0	ppb (v/v)	EPA-21 TO-14A
Hexachlorobutadiene	ND	4.0	ppb (v/v)	EPA-21 TO-14A

NOTE (S) :

Calculations are performed before rounding to avoid round-off errors in calculated results.

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #....: E4H200296 Work Order #....: GNXEVIAC-LCS Matrix.....: AIR
 LCS Lot-Sample#: M4H250000-471 GNXEVIAD-LCSD
 Prep Date.....: 08/23/04 Analysis Date...: 08/23/04
 Prep Batch #....: 4238471 Analysis Time...: 07:16
 Dilution Factor: 1 Instrument ID...: MSB
 Analyst ID.....: 117751

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
1,1-Dichloroethene	104	(70 - 125)			EPA-21 TO-14A
	95	(70 - 125)	9.4	(0-20)	EPA-21 TO-14A
Methylene chloride	86	(75 - 120)			EPA-21 TO-14A
	87	(75 - 120)	0.57	(0-20)	EPA-21 TO-14A
Trichloroethene	85	(70 - 125)			EPA-21 TO-14A
	84	(70 - 125)	1.0	(0-20)	EPA-21 TO-14A
Toluene	93	(75 - 125)			EPA-21 TO-14A
	91	(75 - 125)	2.2	(0-20)	EPA-21 TO-14A
1,1,2,2-Tetrachloroethane	91	(65 - 130)			EPA-21 TO-14A
	92	(65 - 130)	0.78	(0-20)	EPA-21 TO-14A

NOTE(S) :

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE DATA REPORT

GC/MS Volatiles

Client Lot #....: E4H200296 Work Order #....: GNXEVIAC-LCS Matrix.....: AIR
 LCS Lot-Sample#: M4H250000-471 GNXEVIAD-LCSD
 Prep Date.....: 08/23/04 Analysis Date...: 08/23/04
 Prep Batch #....: 4238471 Analysis Time...: 07:16
 Dilution Factor: 1 Instrument ID...: MSB
 Analyst ID.....: 117751

PARAMETER	SPIKE AMOUNT	MEASURED AMOUNT	UNITS	PERCENT RECOVERY	RPD	METHOD
1,1-Dichloroethene	59.2	61.7	ppb (v/v)	104		EPA-21 TO-14A
	59.2	56.1	ppb (v/v)	95	9.4	EPA-21 TO-14A
Methylene chloride	58.7	50.6	ppb (v/v)	86		EPA-21 TO-14A
	58.7	50.9	ppb (v/v)	87	0.57	EPA-21 TO-14A
Trichloroethene	59.5	50.7	ppb (v/v)	85		EPA-21 TO-14A
	59.5	50.1	ppb (v/v)	84	1.0	EPA-21 TO-14A
Toluene	55.7	51.7	ppb (v/v)	93		EPA-21 TO-14A
	55.7	50.6	ppb (v/v)	91	2.2	EPA-21 TO-14A
1,1,2,2-Tetrachloroethane	55.4	50.6	ppb (v/v)	91		EPA-21 TO-14A
	55.4	51.0	ppb (v/v)	92	0.78	EPA-21 TO-14A

NOTE(S) :

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters